









Данные для выбора и заказа

★ NM8 (S) -125, для защиты линий и оборудования





Тип расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул			
 <p>тепловой и электромагнитный</p>	3	16	50	NM8-125S/16/3	149678			
		20		NM8-125S/20/3	149679			
		25		NM8-125S/25/3	149680			
		32		NM8-125S/32/3	149681			
		40		NM8-125S/40/3	149682			
		50		NM8-125S/50/3	149683			
		63		NM8-125S/63/3	149684			
		80		NM8-125S/80/3	149685			
		100		NM8-125S/100/3	149358			
		125		NM8-125S/125/3	149676			
		 <p>тепловой и электромагнитный</p>		3	16	100	NM8-125H/16/3	149686
					20		NM8-125H/20/3	149687
					25		NM8-125H/25/3	149688
					32		NM8-125H/32/3	149689
					40		NM8-125H/40/3	149690
50	NM8-125H/50/3		149691					
63	NM8-125H/63/3		149692					
80	NM8-125H/80/3		149693					
100	NM8-125H/100/3		149694					
125	NM8-125H/125/3		149695					
 <p>тепловой и электромагнитный</p>	3	16	150	NM8-125R/16/3	149793			
		20		NM8-125R/20/3	149794			
		25		NM8-125R/25/3	149795			
		32		NM8-125R/32/3	149796			
		40		NM8-125R/40/3	149797			
		50		NM8-125R/50/3	149798			
		63		NM8-125R/63/3	149799			
		80		NM8-125R/80/3	149800			
		100		NM8-125R/100/3	149791			
		125		NM8-125R/125/3	149792			
		 <p>тепловой и электромагнитный</p>		4	16	50	NM8-125S/16/4C	149931
					20		NM8-125S/20/4C	149932
					25		NM8-125S/25/4C	149933
					32		NM8-125S/32/4C	149934
					40		NM8-125S/40/4C	149935
50	NM8-125S/50/4C		149936					
63	NM8-125S/63/4C		149937					
80	NM8-125S/80/4C		149938					
100	NM8-125S/100/4C		149939					
125	NM8-125S/125/4C		149940					
4	16		100	NM8-125H/16/4C	149696			
	20			NM8-125H/20/4C	149697			
	25			NM8-125H/25/4C	149698			
	32			NM8-125H/32/4C	149699			
	40			NM8-125H/40/4C	149700			
50	NM8-125H/50/4C	149701						
63	NM8-125H/63/4C	149702						

Тип Расцепители	Количество полюсов	Номинальный ток In, A	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
тепловой и электромагнитный	4	80	100	NM8-125H/80/4C	149703
		100		NM8-125H/100/4C	140704
		125		NM8-125H/125/4C	149677
 электронный	3	40	50	NM8S-125S/40/3	149861
		50		NM8S-125S/50/3	149594
		63		NM8S-125S/63/3	149597
		80		NM8S-125S/80/3	149600
		100		NM8S-125S/100/3	149862
		125		NM8S-125S/125/3	149863
	3	40	70	NM8S-125H/40/3	149867
		50		NM8S-125H/50/3	149576
		63		NM8S-125H/63/3	149580
		80		NM8S-125H/80/3	149584
		100		NM8S-125H/100/3	149868
		125		NM8S-125H/125/3	149869
3	40	100	NM8S-125R/40/3	149873	
	50		NM8S-125R/50/3	149588	
	63		NM8S-125R/63/3	149590	
	80		NM8S-125R/80/3	149592	
	100		NM8S-125R/100/3	149874	
	125		NM8S-125R/125/3	149875	
 электронный	4	40	50	NM8S-125S/40/4C	149947
		50		NM8S-125S/50/4C	149596
		63		NM8S-125S/63/4C	149599
		80		NM8S-125S/80/4C	149602
		100		NM8S-125S/100/4C	149946
		125		NM8S-125S/125/4C	149945
	4	40	70	NM8S-125H/40/4C	149879
		50		NM8S-125H/50/4C	149578
		63		NM8S-125H/63/4C	149582
		80		NM8S-125H/80/4C	149586
		100		NM8S-125H/100/4C	149880
		125		NM8S-125H/125/4C	149881
 тепловой и электромагнитный	2	16	100	NM8-125H/16/2	150037
		20		NM8-125H/20/2	149991
		25		NM8-125H/25/2	149990
		32		NM8-125H/32/2	149967
		40		NM8-125H/40/2	150038
		50		NM8-125H/50/2	149968
		63		NM8-125H/63/2	150002
		80		NM8-125H/80/2	149969
		100		NM8-125H/100/2	149845
125	NM8-125H/125/2	149675			





★ NM8 (S) -250, для защиты линий и оборудования

Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул			
 тепловой и электромагнитный	3	100	50	NM8-250S/100/3	149476			
		125		NM8-250S/125/3	149447			
		160		NM8-250S/160/3	149477			
		200		NM8-250S/200/3	149478			
		250		NM8-250S/250/3	149479			
	3	100	100	NM8-250H/100/3	149469			
		125		NM8-250H/125/3	149450			
		160		NM8-250H/160/3	149470			
		200		NM8-250H/200/3	149471			
		250		NM8-250H/250/3	149472			
	3	100	150	NM8-250R/100/3	149837			
		125		NM8-250R/125/3	149614			
		160		NM8-250R/160/3	149838			
		200		NM8-250R/200/3	149839			
		250		NM8-250R/250/3	149840			
 тепловой и электромагнитный	4	100	50	NM8-250S/100/4C	149941			
		125		NM8-250S/125/4C	149993			
		160		NM8-250S/160/4C	149942			
		200		NM8-250S/200/4C	149943			
		250		NM8-250S/250/4C	149944			
	4	100	100	NM8-250H/100/4C	149359			
		125		NM8-250H/125/4C	149468			
		160		NM8-250H/160/4C	149360			
		200		NM8-250H/200/4C	149361			
		250		NM8-250H/250/4C	149362			
		 электронный		3	100	50	NM8S-250S/100/3	149885
		125			NM8S-250S/125/3		150042	
160	NM8S-250S/160/3	149855						
200	NM8S-250S/200/3	149886						
250	NM8S-250S/250/3	149887						
3	100	70	NM8S-250H/100/3	149892				
	160		NM8S-250H/160/3	149893				
	200		NM8S-250H/200/3	149894				
	250		NM8S-250H/250/3	149895				
3	100	100	NM8S-250R/100/3	149900				
	160		NM8S-250R/160/3	149901				
	200		NM8S-250R/200/3	149902				
	250		NM8S-250R/250/3	149903				
 электронный	4	100	50	NM8S-250S/100/4C	149948			
		125		NM8S-250S/125/4C	150043			
		160		NM8S-250S/160/4C	149949			
		200		NM8S-250S/200/4C	149950			
		250		NM8S-250S/250/4C	149951			
	4	100	70	NM8S-250H/100/4C	149908			
		160		NM8S-250H/160/4C	149909			
		200		NM8S-250H/200/4C	149910			
		250		NM8S-250H/250/4C	149911			
		2		125	100	NM8-250H/125/2	149978	
				160		NM8-250H/160/2	149979	
200	NM8-250H/200/2		149976					
250	NM8-250H/250/2		149982					
 тепловой и электромагнитный	2	100	100	NM8-250H/250/2	149982			




★ NM8 (S) -400, для защиты линий и оборудования

Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул	
 тепловой и электромангнитный	3	250	70	NM8-400S/250/3	149724	
		315		NM8-400S/315/3	149725	
		400		NM8-400S/400/3	149726	
	3	250	100	NM8-400H/250/3	149731	
		315		NM8-400H/315/3	149732	
		400		NM8-400H/400/3	149734	
	3	250	150	NM8-400R/250/3	149739	
		315		NM8-400R/315/3	149740	
		400		NM8-400R/400/3	149742	
 тепловой и электромангнитный	4	250	70	NM8-400S/250/4C	149959	
		315		NM8-400S/315/4C	149960	
		400		NM8-400S/400/4C	149962	
	4	250	100	NM8-400H/250/4C	149386	
		315		NM8-400H/315/4C	149387	
		400		NM8-400H/400/4C	149389	
	 электронный	3	250	70	NM8S-400S/250/3	149747
			315		NM8S-400S/315/3	149748
			400		NM8S-400S/400/3	149750
3		250	100	NM8S-400H/250/3	149755	
		315		NM8S-400H/315/3	149756	
		400		NM8S-400H/400/3	149758	
3		250	150	NM8S-400R/250/3	149763	
		315		NM8S-400R/315/3	149764	
		400		NM8S-400R/400/3	149766	
 электронный	4	250	70	NM8S-400S/250/4C	149952	
		315		NM8S-400S/315/4C	149953	
		400		NM8S-400S/400/4C	149955	
	4	250	100	NM8S-400H/250/4C	149846	
		315		NM8S-400H/315/4C	149847	
		400		NM8S-400H/400/4C	149343	


★ NM8 (S) -630, для защиты линий и оборудования

Тип Расцепители	Количество полюсов	Номинальный ток In, A	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	500	70	NM8-630S/500/3	149486
	3	500	100	NM8-630H/500/3	149818
	3	500	150	NM8-630R/500/3	149367
 тепловой и электромагнитный	4	500	70	NM8-630S/500/4C	149964
	4	500	100	NM8-630H/500/4C	149398
 электронный	3	500	70	NM8S-630S/500/3	149489
		630		NM8S-630S/630/3	149490
	3	500	100	NM8S-630H/500/3	149496
		630		NM8S-630H/630/3	149497
	3	500	150	NM8S-630R/500/3	149377
		630		NM8S-630R/630/3	149378
 электронный	4	500	70	NM8S-630S/500/4C	149957
		630		NM8S-630S/630/4C	149958
	4	500	100	NM8S-630H/500/4C	149851
		630		NM8S-630H/630/4C	149349





★ NM8 (S) -800, для защиты линий и оборудования

Тип Расцепители	Количество полюсов	Номинальный ток In, A	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	630	50	NM8-800S/630/3	149965
		700		NM8-800S/700/3	149986
		800		NM8-800S/800/3	149916
	3	630	70	NM8-800H/630/3	149984
		700		NM8-800H/700/3	149625
		800		NM8-800H/800/3	149930
 тепловой и электромагнитный	4	630	50	NM8-800S/630/4C	149994
		700		NM8-800S/700/4C	149624
		800		NM8-800S/800/4C	149995
	4	630	70	NM8-800H/630/4C	149987
		700		NM8-800H/700/4C	149626
		800		NM8-800H/800/4C	149988
 электронный	3	630	50	NM8S-800S/630/3	149924
		700		NM8S-800S/700/3	149925
		800		NM8S-800S/800/3	149926
	3	700	70	NM8S-800H/700/3	149928
		800		NM8S-800H/800/3	149929

★ NM8 (S) -800, для защиты линий и оборудования



Тип Расцепители	Количество полюсов	Номинальный ток I_n, A	I_{cu}, kA (AC 380V/400V/415V)	Тип	Артикул
 <p>электронный</p>	4	630	50	NM8S-800S/630/4C	149499
		700		NM8S-800S/700/4C	149627
		800		NM8S-800S/800/4C	149419
	4	630	70	NM8S-800H/630/4C	149628
		700		NM8S-800H/700/4C	149629
		800		NM8S-800H/800/4C	149997

★ NM8 (S) -1250, для защиты линий и оборудования



Тип Расцепители	Количество полюсов	Номинальный ток I_n, A	I_{cu}, kA (AC 380V/400V/415V)	Тип	Артикул
 <p>тепловой и электромагнитный</p>	3	800	50	NM8-1250S/800/3	149857
		1000		NM8-1250S/1000/3	149858
		1250		NM8-1250S/1250/3	149856
	3	800	70	NM8-1250H/800/3	149860
		1000		NM8-1250H/1000/3	149854
		1250		NM8-1250H/1250/3	149859
 <p>тепловой и электромагнитный</p>	4	800	50	NM8-1250S/800/4C	150001
		1000		NM8-1250S/1000/4C	149996
		1250		NM8-1250S/1250/4C	150000
	4	800	70	NM8-1250H/800/4C	149972
		1000		NM8-1250H/1000/4C	149637
		1250		NM8-1250H/1250/4C	149971
 <p>электронный</p>	3	800	50	NM8S-1250S/800/3	149920
		1000		NM8S-1250S/1000/3	149917
		1250		NM8S-1250S/1250/3	149918
	3	800	70	NM8S-1250H/800/3	149921
		1000		NM8S-1250H/1000/3	149922
		1250		NM8S-1250H/1250/3	149923
 <p>электронный</p>	4	800	50	NM8S-1250S/800/4C	149446
		1000		NM8S-1250S/1000/4C	149445
		1250		NM8S-1250S/1250/4C	149418
	4	800	70	NM8S-1250H/800/4C	149973
		1000		NM8S-1250H/1000/4C	149644
		1250		NM8S-1250H/1250/4C	149974

Данные для выбора и заказа

★NM8 (S) -125, для защиты электродвигателей

Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (АС 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	16	50	NM8-125S/16/3/M	149783
		20		NM8-125S/20/3/M	149784
		25		NM8-125S/25/3/M	149785
		32		NM8-125S/32/3/M	149786
		40		NM8-125S/40/3/M	149787
		50		NM8-125S/50/3/M	149788
		63		NM8-125S/63/3/M	149789
		80		NM8-125S/80/3/M	149790
		100		NM8-125S/100/3/M	149781
		125		NM8-125S/125/3/M	149782
		3		16	100
	20		NM8-125H/20/3/M	149774	
	25		NM8-125H/25/3/M	149775	
	32		NM8-125H/32/3/M	149776	
	40		NM8-125H/40/3/M	149777	
	50		NM8-125H/50/3/M	149778	
	63		NM8-125H/63/3/M	149779	
	80		NM8-125H/80/3/M	149780	
	 электронный	3	40	50	NM8S-125S/40/3/M
50			NM8S-125S/50/3/M		149595
63			NM8S-125S/63/3/M		149598
80			NM8S-125S/80/3/M		149983
100			NM8S-125S/100/3/M		149865
125			NM8S-125S/125/3/M		149866
3		40	70	NM8S-125H/40/3/M	149870
		50		NM8S-125H/50/3/M	149577
		63		NM8S-125H/63/3/M	149581
		80		NM8S-125H/80/3/M	149585
		100		NM8S-125H/100/3/M	149871
3	125	100	NM8S-125H/125/3/M	149872	
	40		NM8S-125R/40/3/M	149876	
	50		NM8S-125R/50/3/M	149589	
	63		NM8S-125R/63/3/M	149591	
	80		NM8S-125R/80/3/M	149593	
100	NM8S-125R/100/3/M	149877			
125	NM8S-125R/125/3/M	149878			

★ NM8 (S) -250, для защиты электродвигателей

Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	100	50	NM8-250S/100/3/М	149480
		125		NM8-250S/125/3/М	149603
		160		NM8-250S/160/3/М	149481
		200		NM8-250S/200/3/М	149482
		250		NM8-250S/250/3/М	149483
	3	100	100	NM8-250H/100/3/М	149836
		125		NM8-250H/125/3/М	149609
		160		NM8-250H/160/3/М	149473
		200		NM8-250H/200/3/М	149474
		250		NM8-250H/250/3/М	149475
	3	100	150	NM8-250R/100/3/М	149841
		125		NM8-250R/125/3/М	149615
		160		NM8-250R/160/3/М	149842
		200		NM8-250R/200/3/М	149843
		250		NM8-250R/250/3/М	149844
 электронный	3	100	50	NM8S-250S/160/3/М	149888
		160		NM8S-250S/160/3/М	149889
		200		NM8S-250S/200/3/М	149890
		250		NM8S-250S/250/3/М	149891
		100		NM8S-250H/100/3/М	149896
	3	160	70	NM8S-250H/160/3/М	149897
		200		NM8S-250H/200/3/М	149898
		250		NM8S-250H/250/3/М	149899







★ NM8 (S) -400, для защиты электродвигателей

Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	315	70	NM8-400S/315/3/М	149728
		400		NM8-400S/400/3/М	149730
	3	315	100	NM8-400H/315/3/М	149736
		400		NM8-400H/400/3/М	149738
	3	315	150	NM8-400R/315/3/М	149744
		400		NM8-400R/400/3/М	149746
 электронный	3	315	70	NM8S-400S/315/3/М	149752
		400		NM8S-400S/400/3/М	149754
	3	315	100	NM8S-400H/315/3/М	149760
		400		NM8S-400H/400/3/М	149762
	3	315	150	NM8S-400R/315/3/М	149768
		400		NM8S-400R/400/3/М	149770





★ NM8 (S) -630, для защиты электродвигателей


Тип Расцепители	Количество полюсов	Номинальный ток In, А	Icu, кА (AC 380В/400В/415В)	Тип	Артикул
 тепловой и электромагнитный	3	500	70	NM8-630S/500/3/М	149816
	3	500	100	NM8-630H/500/3/М	149822
	3	500	150	NM8-630R/500/3/М	149372
 электронный	3	500	70	NM8S-630S/500/3/М	149712
		630		NM8S-630S/630/3/М	149491
	3	500	100	NM8S-630H/500/3/М	149830
		630		NM8S-630H/630/3/М	149831
	3	500	150	NM8S-630R/500/3/М	149383
		630		NM8S-630R/630/3/М	149384

★Дополнительные аксессуары


Дополнительные аксессуары	Совместимые оборудования		Тип	Артикул
 внешние выводы для переднего присоединения	NM8-125	3P,4P	FM13,FM14	132957
	NM8S-125/,NM8-250/NM8S-250	3P,4P	FM23,FM24	132958
	NM8-400,630/NM8S-400,630	3P	FM33	150824
		4P	FM34	150825
	NM8-800,1250/MM8S-800,1250	3P	FM43	150832
		4P	FM44	150833
 внешние выводы для заднего присоединения	NM8-125	3P	BM13	150808
	NM8S-125/NM8-250/NM8S-250	4P	BM14	150806
		3P	BM23	150801
	NM8-400,630/NM8S-400,630	4P	BM24	150802
		3P	BM33	150893
	4P	BM34	150894	
 основание втычного исполнения	NM8-125	3P	PL13	150762
		4P	PL14	150875
	NM8S-125/NM8-250/NM8S-250	3P	PL23	150760
		4P	PL24	150876
	NM8-400,630/NM8S-400,630	3P	PL33	150892
		4P	PL34	150878
 скобы для крепления на Дин-рейку	NM8-125	3P	DIN13	150764
		4P	DIN14	150767
	NM8S-125/NM8-250/NM8S-250	3P	DIN23	150765
		4P	DIN24	150766
 Малые защитные крышки выводов	NM8-125	3P	ST13	150938
		4P	ST14	150942
	NM8S-125/NM8-250/NM8S-250	3P	ST23	150936
		4P	ST24	150943
	NM8-400,630/NM8S-400,630	3P	ST33	150939
		4P	ST34	150944
	NM8-800,1250/MM8S-800,1250	3P	-	150950
		4P	-	150953
 Большие защитные крышки выводов	NM8-125	3P	LT13	150779
		4P	LT14	150780
	NM8S-125/NM8-250/NM8S-250	3P	LT23	150781
		4P	LT24	150782
	NM8-400,630/NM8S-400,630	3P	LT33	150783
		4P	LT34	150784
	NM8-800,1250/MM8S-800,1250	3P	-	150785
		4P	-	150786



★Дополнительные аксессуары

Дополнительные аксессуары	Совместимые оборудования	Тип	Артикул
 <p>Экономичный дистанционный ручной поворотный привод</p>	NM8-125/3P	RH11	150773
	NM8-125/4P	RH14	150912
	NM8S-125, NM8-250, NM8S-250/3P	RH21	150775
	NM8S-125, NM8-250, NM8S-250/4P	RH24	150913
	NM8-400, 630 / NM8S-400, 630	RH31	150777
	NM8-800, 1250 / MM8S-800, 1250	RH41	150910
 <p>Ручной поворотный привод</p>	NM8-125	RH12	150902
	NM8-250	RH22	150903
	NM8S-125, NM8S-250	RH25	150758
	NM8-400, 630	RH32	150900
	NM8S-400, 630	RH35	150898
	 <p>Дистанционный ручной поворотный привод</p>	NM8-125	RH13
NM8-250		RH23	150896
NM8S-125, NM8S-250		RH26	150759
NM8-400, 630		RH33	150909
NM8S-400, 630		RH36	150907
 <p>Блокиратор рукоятки</p>		NM8-125	PD1
	NM8S-125, NM8-250, NM8S-250	PD2	150840
	NM8-400, 630 / NM8S-400, 630	PD3	150842
	NM8-800, 1250 / MM8S-800, 1250	-	150844


Дополнительные аксессуары	Номинальное напряжение Управления	Совместимые оборудования	Артикул
 <p>Двигательный привод</p>	DC24B	NM8-125	150742
	AC240B / DC220B		150881
	DC24B	NM8S-125, NM8-250, NM8S-250	150740
	AC240B / DC220B		150882
	DC24B	NM8-400, 630 / NM8S-400, 630	150738
	AC240B / DC220B		150884
	AC230B	NM8-800, 1250 / MM8S-800, 1250	150890
	AC380B		150891

★Дополнительные аксессуары

Дополнительные аксессуары	Совместимые оборудования	Номинальное напряжение управления, В	Тип	Артикул
 Независимый расцепитель	NM8-125	DC24В	SB1	150745
		AC230В	SM6	150848
		AC400В	SQ6	150849
	NM8S-125/NM8-250/NM8S-250 NM8-400,630/NM8S-400,630	DC24В	SB0	150748
		AC230В	SM5	150747
		AC400В	SQ5	150746
	NM8-800,1250/MM8S-800,1250	DC24В	-	150753
		AC230В	SM7	150851
		AC400В	SQ7	150853
 Расцепитель минимального напряжения	NM8-125	AC230В	UM6	150752
		AC400В	UQ6	150751
	NM8S-125/NM8-250/NM8S-250 NM8-400,630/NM8S-400,630	AC230В	UM5	150750
		AC400В	UQ5	150749
	NM8-800,1250/MM8S-800,1250	AC230В	UM7	150855
		AC400В	UQ7	150856

	Наименование	Совместимые оборудования	Артикул
	Контакт аварийного сигнализации	NM8-125 NM8S-125, NM8-250, NM8S-250 NM8-400,630/NM8S-400,630 NM8-800,1250/MM8S-800,1250	150873
	Вспомогательный контакт (левый)	NM8-125 NM8S-125, NM8-250, NM8S-250 NM8-400,630/NM8S-400,630 NM8-800,1250/MM8S-800,1250	150869
	Вспомогательный контакт (средний)	NM8-125 NM8S-125, NM8-250, NM8S-250 NM8-400,630/NM8S-400,630 NM8-800,1250/MM8S-800,1250	150870
	Вспомогательный контакт (правый)	NM8-125 NM8S-125, NM8-250, NM8S-250 NM8-400,630/NM8S-400,630 NM8-800,1250/MM8S-800,1250	150871

Механическая блокировка

	Совместимые оборудования	Артикул	
 Механическая блокировка	NM8-125	3P	150835
		4P	150793
	NM8S-125/NM8-250/NM8S-250	3P	150794
		4P	150795
	NM8-400,630/NM8S-400,630	3P	150796

Клеммы

	Совместимые оборудования	Наименование	Артикул
	NM8-125	Зажимы Ct1	150810
		Клеммы для 1 каблель, 1X95mm ²	150816
	NM8S-125/ NM8-250/ NM8S-250	Зажимы Ct2	150812
		Клеммы для 1 каблель, 1X120mm ²	150817
		Клеммы для 1 каблель, 1X240mm ²	150819
		Клеммы для 2 каблель, 2X250mm ²	150818
		Клеммы для 6 каблель, 6X35mm ²	150815
		NM8-400 , 630/ NM8S-400,630	Клеммы для 2 каблель, 2X240mm ²
	Клеммы для 4 каблель, 4X95mm ²		150814
	NM8-800 , 1250/ NM8S-800,1250	Клеммы для 4 каблель, 4X240mm ²	150823
		Клеммы для 3 каблель, 3X240mm ²	150822